



McDonald Law
EXPERIENCE, INTEGRITY, EXCELLENCE

Shannon D. McDonald
T: 262.252.9123
E: sdm@themklaw.com

TMS
05.04.2026
1149

April 28, 2026

Ms. Tracey Uttke, City Clerk
City of West Allis
7525 West Greenfield Ave.
West Allis, WI 53214

RECEIVED

MAY 04 2026

CITY OF WEST ALLIS

Re: NOTICE OF CLAIM PURSUANT TO WIS. STAT. § 893.80

Dear Madam Clerk,

Please be advised that this law firm represents Opulence Salon Suites, LLC (“Opulence”) and its owner, Lauren Nembhard. The purpose of this correspondence is to provide notice to the City of West Allis of claims against the City by Opulence and Ms. Nembhard pursuant to Wis. Stat. §893.80.

Opulence entered into a contract with Hive Construction, LLC (“Hive”) for the buildout of a commercial space at 2665 S. 108th Street, West Allis, Wisconsin 53227. The buildout was to include twenty-two separate salon spaces along with an office, general reception area, meeting room, storage room, mechanical room, utility room, and bathrooms.

Hive contracted with Stack Design Group, LLC (“SDG”) to render architectural drawings for the project. Stack produced the drawings to Hive and Hive submitted the drawings to the City for review and approval. The City stamped the drawings as “Conditionally Approved” on May 6, 2025. A true and correct copy of the approved drawings is attached as Exhibit A. The City issued the construction permit to Hive on the same date and Hive began construction on the project shortly thereafter.

The space to be built-out was identified as Type “II-B Unprotected Non-Combustible.” This required structural elements to be made of non-combustible materials such as metal, concrete, masonry, etc. SDG’s drawings identified the structural elements as wood 2x4’s. The City reviewed the drawings and conditionally approved the drawings despite the drawings calling for wood 2x4’s in violation of Type II-B Unprotected Non-Combustible designation.

Hive installed wood 2x4 framing for all the interior units and installed electrical wiring that was specific to wood 2x4 framing. Had Hive installed metal framing as required by the Type II-B Unprotected Non-Combustible designation, it would have installed different electrical wiring.

Opulence, by and through its attorney, met with Hive and the City's building inspector, plumbing inspector, and electrical inspector on February 10, 2026. The building inspector informed Hive that all wood 2x4 framing had to be torn out as it was not compliant with the Type II-B Unprotected Non-Combustible designation. The electrical inspector indicated that the electrical wiring had to be torn out as well since metal framing required a different type of wiring.

Hive submitted a new scope of work for the removal of the wood 2x4 structural elements and electrical wiring and completion of the project in compliance with the Type II-B Unprotected Non-Combustible designation. Hive's new scope of work increased the project total cost by \$284,834.56. Neither Opulence/Ms. Nembhard nor their lender had an additional \$284,834.56 to complete the project.

The City owed Opulence/Ms. Nembhard a duty to use reasonable care in the performance of its professional duties relative to the review and approval of the drawings submitted by Hive. The City breached this duty of care when it approved drawings that included non-compliant structural materials. Had the City denied approval of the drawings, Hive would not have installed the wood 2x4 structural elements and the project would not have failed. As it were, however, the City approved the non-compliant drawings which resulted in non-compliant materials being installed at substantial expense to Opulence/Ms. Nembhard. The project is now a complete failure.

As a direct and proximate result of the City approving the SDG drawings, Opulence and Ms. Nembhard have incurred substantial damages. Opulence and Ms. Nembhard have incurred the following categories of damages:

- Opulence and Ms. Nembhard lost all funds invested into the project which, to date, is well over \$300,000;
- Opulence and Ms. Nembhard will incur substantial penalties and fees associated with the construction loan (to be determined by the financial institution);
- Opulence and Ms. Nembhard will lose all funds paid to the landlord for the unit;
- Opulence and Ms. Nembhard will lose the lease to the unit;
- Opulence and Ms. Nembhard will lose all future income that would have been generated by the business (likely into the high six figures over the course of the next several years, alone);
- Opulence and Ms. Nembhard will incur substantial attorney's fees and costs associated with having to litigate an action against Hive, SDG, the City, and their respective insurance companies.

In light of the foregoing, Opulence and Ms. Nembhard are seeking the maximum total amount of damages allowed by statute.


If you have any questions regarding this matter, please contact me at 262-252-9122 or

sdm@themklaw.com. Thank you for your attention to this matter.

Very truly yours,
MCDONALD LAW FIRM, LLC


s/Shannon D. McDonald

Shannon D. McDonald
Attorney at Law
sdm@themklaw.com



PROPOSED FLOOR PLAN
 4,740 SQUARE FEET

CONTINUE TO LEVEL ABOVE ABOVE
 NEW WORK ROOMS, SHOWERS, ALL DOORS
 TO BE UNDER F THROUGHOUT SPACE



EXIT CORRIDOR FLOOR PLAN



**STACK
DESIGN
GROUP**


ARCHITECTURE
413 NORTH SECOND STREET
MILWAUKEE, WI 53203-3111
414-972-0033 Fax: 414-274-8814

Interior Alteration for
PULLEN LEXRY SALON SUITES, LLC
2665 S 108th Street
West Allis, WI 53227

04-25-25

REFLECTED
CEILING & DEMO

A-2



NOTE: ALL NEW WALLS TO BE BUILT TO
UNDERLINE OF EXISTING CEILING GRID.
ALL EXISTING WALLS TO BE RE-
CONFIGURED IN EXISTING GRID


EXISTING 60W PAVED CEILING LIGHTING
REQUIRE A 150W LED LIGHT
ROOM REQUIRES AN EXHAUST FAN

MATCH LINE

REFLECTED CEILING PLAN

1/8" = 1'-0"

SUSPENDED ACOUSTICAL CEILING SYSTEMS SHALL BE INSTALLED IN ACCORDANCE WITH THE PROVISIONS
OF THE 2015 INTERNATIONAL BUILDING CODE (IBC) SECTION 605 AND
606. ACOUSTICAL MATERIALS SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATION
AND APPLICABLE PROVISIONS OF ASTM C 695 AND ASTM C 696 (IBC SECTION 609).



DEMOLITION FLOOR PLAN

1/8" = 1'-0"

ACCESSIBLE SIGNAGE TECHNICAL DATA

SIGNAGE SHALL COMPLY WITH APPLICABLE PROVISIONS OF THE AMERICANS WITH DISABILITIES ACT (ADA), INCLUDING BUT NOT LIMITED TO:

1. ADA SIZE AND SPACING REQUIREMENTS, NUMERALS AND GRADE 2 BRAILLE IN TYPE, STYLE AND SIZE AS SPECIFIED.
2. BRAILLE IS NOT REQUIRED FOR DOGS SERVING UTILITY SPACES.
3. LOCATE ON LATCH SIDE OF DOORS, EXCEPT AT DOOR PAIRS WHERE SIGNAGE SHALL BE LOCATED ON NEAREST ADJACENT WALL.
4. LOCATE TO COMPLETE WITH PATH OF APPROACH AND TO AVOID PROTRUDING OBJECTS.

FURNISH AND INSTALL INTERIOR SIGNAGE IN THE FOLLOWING LOCATIONS:

1. EXTERIOR DOORS ACCESSING STORAGE ROOMS & MECHANICAL ROOMS.
2. TOILETS, INDIVIDUAL TOILETS, AND ACCESSIBLE ENTRY & EGRESS DOORS.

MATERIALS AND FABRICATION:

1. PLAQUE: BASIC STOCK SHALL BE 1/8" THICK, MELAMINE LAMINATE OR MATTE ACRYLIC WITH FACE AND BACKPLATE; PROVIDE RADIUSSED CORNERS.
2. CHARACTERS: PROVIDE 3/4" RAISED LETTERS, 1" NUMERALS, AND BRAILLE LETTERS AND NUMERALS TO WALL USING COUNTERSUNK TAMPERPROOF SCREWS. SCREW PROCESS OR BY CHEMICALLY WELDING CHARACTERS TO STOCK.
3. CHARACTER TYPE: UPPER CASE, SANS SERIF OR SIMPLE SERIF.


SIGN MOUNTING:

1. MOUNTING METHOD: MM (MECHANICAL FASTENING) MOUNTING BY MEANS OF DOUBLE FACED TAPE SHALL NOT BE ACCEPTABLE.
2. DRILL AND INSERT APPROPRIATE TYPE PLUGS OR ANCHORS INTO WALL.
3. SUBSTRATE: MEANS TO WALL USING COUNTERSUNK TAMPERPROOF SCREWS. SCREW HEADS SHALL BE FLUSH WITH SIGN FACE.
4. MOUNT SO THAT CENTER OF SIGN IS 5'-0" ABOVE FINISH FLOOR; BOTTOM OF LETTERS FOR ROOM NAME SHALL BE 48" MIN. (54" MAX) ABOVE FINISH FLOOR.

PRODUCTS:


- THE FOLLOWING SHALL BE CONSIDERED ACCEPTABLE MANUFACTURERS:
1. ANCO INDUSTRIES CORPORATION, GREENSBORO, NC, 1-800-476-8900
 2. BAYVIEW GRAPHIC SYSTEMS, INC. PARKERSBURG, PA, 1-717-442-0247
 3. BAYVIEW GRAPHIC SYSTEMS, INC. PARKERSBURG, PA, 1-717-442-0247
 4. GENIUM SIGNS, MARLBOROUGH, MA, 1-800-235-BEST (bestsigns.com)
 5. MICHAM SIGN SYSTEMS, INC. SCHENECTADY, NY, 1-518-370-9433
 6. NATIONAL SIGN, INC. AMBRIDGE, PA, 1-800-363-1203 (natsign.com)

NOTES:
 1. THIS DETAIL IS TO SHOW MIN. AND MAX. ALLOWABLE HEIGHTS, REFER TO FLOOR PLANS & INTERIOR ELEVATIONS FOR SPECIFIC INFORMATION AND DIMENSIONS.
 2. ALIGN C.L. OF THERMOSTAT WITH C.L. OF SWITCH.
 3. NOTE ALL DIMENSIONS ARE TO CENTER LINE OF FACE PLATE.



SWITCHES, OUTLETS & CONTROLS MOUNTING HEIGHTS

NOTE: WALL MOUNTED SIGNAGE TO BE LOCATED ON LATCH SIDE OF DOORS. DOOR-SWING SHOWN TYPICAL.




TYPICAL ACCESSIBLE RESTROOM SIGNAGE

CONTRACTOR(S) ARE SOLELY RESPONSIBLE FOR ALL CONSTRUCTION MEANS METHODS TECHNIQUES SEQUENCES AND PROCEDURES AND SHALL COORDINATE WITH ALL TRADES TO AVOID INTERFERENCE, TO PRESERVE MAXIMUM HEADROOM AND AVOID OBSTRUCTIONS. THE ARCHITECT HAS NO CONTRACTUAL DUTY TO CONTROL MEANS AND METHODS OF THE WORK NOR TO PROVIDE JOB SITE SUPERVISION, ENSURE SAFETY OR CONSTRUCTION MANAGEMENT AND DOES NOT VOLUNTARILY ASSUME ANY SUCH RESPONSIBILITIES.

NOTE:

PROVIDE CLEARANCE AROUND TOILET, ADJACENT TO OTHER FIXTURES PER ICC/A117.1-2009, 604.3 PUSH PULL LAMP ON DOOR LATCHING SHALL BE PER ICC/ANSI A117.1-2009 s404.1.3 PROVIDE MIN. 12" FLUSH SIDE MANEUVERING CLEARANCE AND 18" CLEARANCE ON THE FULL SIDE OF DOORS PROVIDE ACCESSIBLE WATER CLOSET FIXTURE IN ACCORDANCE WITH ICC/ANSI A117.1-2009 SECTION 1029.117, INCLUDING PROVIDING HAND OPERATED FLUSH CONTROLS LOCATED ON THE OPEN SIDE OF THE WATER CLOSET FIXTURE PER ICC 2902.4. PROVIDE SIGNAGE AT AND NO KEYED ACCESS TO TOILET ROOM.




REQUIRED ACCESSIBILITY CLEAR FLOOR AREAS

Mark	Qty	Item	Manufacturer Model No.	Mounting Height	Remarks
1	1	TOILET PAPER DISP.	AS 0324	TOP 1.52" TO BOTTOM OF BAR	
2	1	SOAP DISP.	AS 0424	38" TO BOTTOM OF UNIT	
3	1	MIRROR	AS 0540 (24x30)	40" TO BOTTOM OF UNIT	
4	1	GRAB BAR	AS 3201	30" TO CENTER OF BAR	42", 36", 18" VERT.
5	1	SAFETY COVERS ON EXPOSED PIPING	AS 0210	38" TO BOTTOM OF UNIT	HIT 500P - WHITE

ACCESSIBILITY REQUIREMENTS

ALL TOILET ROOMS REQUIRED TO BE ACCESSIBLE SHALL CONFORM TO THE ACCESSIBILITY REQUIREMENTS OF FEDERAL ADA LAWS AND STATE BUILDING CODES. INCLUDE OF THE FOLLOWING CLEARANCE DIMENSIONS. ALL DOORS SHALL HAVE LEVER TYPE HANDLE. ALL FIXTURES TO HAVE LEVER/ARCHE STEEL HANDLES FOR OPERATION. PRINCY LOCK ON TOILET ROOM DOOR SHALL BE PUSH-TYPE WITH WIDE HANDLE-IRON RELEASE.



TYPICAL ACCESSIBLE RESTROOM INTERIOR ELEVATIONS

NOTE: GRAB BARS ARE TO BE INSTALLED TO WITHSTAND VERTICAL OR HORIZONTAL FORCE OF 350 POUNDS APPLIED AT ANY POINT OF THE GRAB BAR PER ADA CODE.

NOTE: TOILET ROOM MIRRORS ARE TO BE REPLACED W/ ADA COMPLIANT MIRRORS MATCHING INTERIOR VIEW #.

INSTALL PROTECTIVE WRAP ON BOTH LAV SINK TRAYS.

NOTE: TOILET ROOM TO HAVE LEVER TYPE DOOR HANDLE WITH PRIVACY LOCK AND HINGE CLOSER.



1 ENLARGED EXISTING TOILET ROOM PLAN


SCALE: 1/4" = 1'-0"

PARTITION, MILL WORK AND DOOR PLAN NOTES

1. INVESTIGATE FIELD CONDITIONS AND ASCERTAIN THAT WORK IS ACCORDING TO THE CONTRACT DOCUMENTS AND INDICATE IMMEDIATELY IF ANY DISCREPANCIES ARE FOUND.
2. EXISTING FIELD CONDITIONS AND ASBESTOS SURVEY SHALL BE OBTAINED FROM THE ARCHITECT IMMEDIATELY UPON COMMENCEMENT OF WORK.
3. ALL MILLWORK SHALL BE IN ACCORDANCE WITH THE CURRENT ASBESTOS ABATEMENT ACT AND ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.
4. MILLWORK SHALL BE INSTALLED IN ACCORDANCE WITH THE CURRENT ASBESTOS ABATEMENT ACT AND ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.
5. MILLWORK SHALL BE INSTALLED IN ACCORDANCE WITH THE CURRENT ASBESTOS ABATEMENT ACT AND ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.
6. MILLWORK SHALL BE INSTALLED IN ACCORDANCE WITH THE CURRENT ASBESTOS ABATEMENT ACT AND ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.
7. MILLWORK SHALL BE INSTALLED IN ACCORDANCE WITH THE CURRENT ASBESTOS ABATEMENT ACT AND ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.
8. MILLWORK SHALL BE INSTALLED IN ACCORDANCE WITH THE CURRENT ASBESTOS ABATEMENT ACT AND ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.
9. MILLWORK SHALL BE INSTALLED IN ACCORDANCE WITH THE CURRENT ASBESTOS ABATEMENT ACT AND ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.
10. MILLWORK SHALL BE INSTALLED IN ACCORDANCE WITH THE CURRENT ASBESTOS ABATEMENT ACT AND ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.
11. MILLWORK SHALL BE INSTALLED IN ACCORDANCE WITH THE CURRENT ASBESTOS ABATEMENT ACT AND ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.
12. MILLWORK SHALL BE INSTALLED IN ACCORDANCE WITH THE CURRENT ASBESTOS ABATEMENT ACT AND ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.
13. MILLWORK SHALL BE INSTALLED IN ACCORDANCE WITH THE CURRENT ASBESTOS ABATEMENT ACT AND ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.
14. MILLWORK SHALL BE INSTALLED IN ACCORDANCE WITH THE CURRENT ASBESTOS ABATEMENT ACT AND ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.
15. MILLWORK SHALL BE INSTALLED IN ACCORDANCE WITH THE CURRENT ASBESTOS ABATEMENT ACT AND ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

DOOR SCHEDULE

DOOR NUMBER	DOOR LOCATION	DOORS			FRAME MATERIAL	FINISH	TYPE	MATERIAL	FINISH	FRAME LABEL	HOW SET	REMARKS
		TYPE	WIDTH	HEIGHT								
101	SUITE 1	A	3'-0"	7'-0"	ALUM	WOOD	WOOD	WOOD	WOOD	A	WOOD	DIFFERENT TO REMAIN (WOOD, METALS, WATERPROOF)
102	SUITE 2	B	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
103	SUITE 3	C	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
104	SUITE 4	D	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
105	SUITE 5	E	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
106	SUITE 6	F	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
107	SUITE 7	G	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
108	SUITE 8	H	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
109	SUITE 9	I	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
110	SUITE 10	J	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
111	SUITE 11	K	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
112	SUITE 12	L	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
113	SUITE 13	M	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
114	SUITE 14	N	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
115	SUITE 15	O	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
116	SUITE 16	P	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
117	SUITE 17	Q	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
118	SUITE 18	R	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
119	SUITE 19	S	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
120	SUITE 20	T	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
121	SUITE 21	U	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
122	SUITE 22	V	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
123	SUITE 23	W	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
124	SUITE 24	X	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
125	SUITE 25	Y	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
126	SUITE 26	Z	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
127	SUITE 27	AA	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
128	SUITE 28	AB	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
129	SUITE 29	AC	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
130	SUITE 30	AD	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
131	SUITE 31	AE	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
132	SUITE 32	AF	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
133	SUITE 33	AG	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
134	SUITE 34	AH	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
135	SUITE 35	AI	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
136	SUITE 36	AJ	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
137	SUITE 37	AK	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
138	SUITE 38	AL	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
139	SUITE 39	AM	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
140	SUITE 40	AN	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
141	SUITE 41	AO	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
142	SUITE 42	AP	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
143	SUITE 43	AQ	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
144	SUITE 44	AR	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
145	SUITE 45	AS	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
146	SUITE 46	AT	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
147	SUITE 47	AU	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
148	SUITE 48	AV	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
149	SUITE 49	AW	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
150	SUITE 50	AX	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
151	SUITE 51	AY	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
152	SUITE 52	AZ	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
153	SUITE 53	BA	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
154	SUITE 54	BB	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
155	SUITE 55	BC	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
156	SUITE 56	BD	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
157	SUITE 57	BE	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
158	SUITE 58	BF	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
159	SUITE 59	BG	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
160	SUITE 60	BH	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
161	SUITE 61	BI	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
162	SUITE 62	BJ	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
163	SUITE 63	BK	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
164	SUITE 64	BL	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
165	SUITE 65	BM	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
166	SUITE 66	BN	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
167	SUITE 67	BO	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
168	SUITE 68	BP	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
169	SUITE 69	BQ	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
170	SUITE 70	BR	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
171	SUITE 71	BS	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
172	SUITE 72	BT	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
173	SUITE 73	BU	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
174	SUITE 74	BV	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
175	SUITE 75	BW	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
176	SUITE 76	BX	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
177	SUITE 77	BY	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
178	SUITE 78	BZ	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
179	SUITE 79	CA	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
180	SUITE 80	CB	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
181	SUITE 81	CC	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
182	SUITE 82	CD	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
183	SUITE 83	CE	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
184	SUITE 84	CF	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
185	SUITE 85	CG	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
186	SUITE 86	CH	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
187	SUITE 87	CI	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
188	SUITE 88	CJ	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
189	SUITE 89	CK	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
190	SUITE 90	CL	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
191	SUITE 91	CM	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
192	SUITE 92	CN	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
193	SUITE 93	CO	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
194	SUITE 94	CP	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
195	SUITE 95	CQ	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
196	SUITE 96	CR	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
197	SUITE 97	CS	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
198	SUITE 98	CT	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
199	SUITE 99	CU	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	
200	SUITE 100	CV	3'-0"	7'-0"	WOOD	WOOD	WOOD	WOOD	WOOD	A	WOOD	



- DOOR TYPES
- (A) ALUMINUM & 1" INSULATING GLASS
 - (B) HOLLOW METAL
 - (C) FLUSH WOOD SOLID CORE
- FRAME TYPES
- (A) ALUMINUM FRAME W/ THERMAL BREAK
 - (B) HOLLOW METAL FRAME IN MASONRY WALL
 - (C) HOLLOW METAL FRAME IN STUD WALL
 - (D) WOOD FRAME IN STUD WALL

NOTES

1. THRESHOLDS ARE NOT TO EXCEED 1/2" IN HEIGHT
2. ALL DOORS SHALL BE INSTALLED WITH 1/2" MIN. CLEARANCE AT TOP AND BOTTOM
3. ALL HARDWARE FINISH, INCLUDING HINGES AND SPRINGS, TO BE MATCHED ALUMINUM OR SATIN NICKEL AS APPROVED BY ARCHITECT
4. VERIFY OPENING SIZE IS PER DOOR MANUFACTURER'S DIMENSIONS

FRAME SET

- A - WOOD FRAME SET w/ GLASS/DOOR LOCK
- B - GLASS/DOOR FRAME SET w/ PRINCE LOCK
- C - WOOD FRAME SET w/ STONE/DOOR LOCK

INTERIOR WALL TYPES

- NOTE: USE